



CERTIFICATE  
NR 616/42/OA/06/2012/A  
OF PRODUCT COMPLIANCE  
WITH REQUIREMENTS OF STRENGTH  
AND DURABILITY

*It is stated that according to the results of executed tests*

**drawers of the Metalbox system: GTV and GTV PRESTIGE L 270 mm – 550 mm**  
*distributed by*

**GTV sp. z o.o. sp. k.**  
ul. Przejazdowa 21      05-800 Pruszków

*meets the following requirements:*

**PN-EN 15338 + A1:2010 /EN 15338:2007 + A1:2010 Hardware for furniture – Strength and durability of extension elements and their component - IDT /.**

*Tests conducted according to*

**EN 15338:2007 + A1:2010, points 4 - 6.3.13, according 3 /highest/ test level – max. loading capacity 25 kg.**

*Tests were executed: 30.05.2012 – 14.06.2012*

*The Certificate contains test report /2 numbered pages/, which are an integral part of the Certificate.*

**Engineering Centre For Creating  
Product Quality „ATEST” Ltd  
str. Bogusławskiego 16, 60-214 Poznań  
tel. 61 - 8 652 689  
Laboratory in Gruszczyn / Poznań  
ul. Leśna 12 62-006 Kobylnica**

Poznań, 14.06.2012

Signed for and on behalf  
“ATEST” Ltd”

**DIRECTOR**  
  
mgr inż. Łucjan Kokorniak





**ENGINEERING CENTRE FOR CREATING  
PRODUCT QUALITY**  
**„ATEST” Ltd**

Test report number 616/42/OA/06/2012/A

Page 1

Article tested: drawer of the Metalbox system GTV PRESTIGE L = 270 mm

<b>PN-EN 15338 + A1:2010 /EN 15338:2007 + A1:2010 Hardware for furniture – Strength and durability of extension elements and their component - IDT /.</b>			
Point of standard		Parameters of test	Test result
6.2 Overload test – the first set			
6.2.2	Vertical downwards static overload	vertical force 250 N, 10 times	pass, the extension element did not detach
6.2.3	Horizontal sideways static overload	horizontal force 125 N, 5 times	pass, the extension element did not detach
6.2.4	Outwards static overload	horizontal force 200 N	the extension element did not detach
6.2.5	Slam–shut/open	1,0 m/s, 10 times	pass, the extension element did not detach
6.3 Functional tests – the second set			
6.3.4	Operating forces	force < 50 N	pass, the extension element fulfils its function
6.3.5	1 vertical downwards static load test	vertical force 125 N, 10 times	pass, the extension element fulfils its function
6.3.6	1 horizontal sideways static load	horizontal force 65 N, 5 times	pass, the extension element fulfils its function
6.3.8	Durability	60 000 cycles	pass, the extension element fulfils its function
6.3.9	Deflection of front	2,1 mm	pass, < 4 %
6.3.10	2 vertical downwards static load	vertical force 125 N, 10 times	pass, the extension element fulfils its function
6.3.11	2 horizontal sideways static load	horizontal force 65 N, 5 times	pass, the extension element fulfils its function
6.3.12	Operating forces	force < 50 N	pass, the extension element fulfils its function
6.3.13	Slam–shut/open	0,5 m/s, 10 times	pass, the extension element fulfils its function



**ENGINEERING CENTRE FOR CREATING  
PRODUCT QUALITY**  
**„ATEST” Ltd**

Test report number 616/42/OA/06/2012/A

Page 2

Article tested: drawer of the Metalbox system GTV PRESTIGE L = 550 mm

<b>PN-EN 15338 + A1:2010 /EN 15338:2007 + A1:2010 Hardware for furniture – Strength and durability of extension elements and their component - IDT /.</b>			
Point of standard		Parameters of test	Test result
6.2 Overload test – the first set			
6.2.2	Vertical downwards static overload	vertical force 250 N, 10 times	pass, the extension element did not detach
6.2.3	Horizontal sideways static overload	horizontal force 125 N, 5 times	pass, the extension element did not detach
6.2.4	Outwards static overload	horizontal force 200 N	the extension element did not detach
6.2.5	Slam–shut/open	1,3 m/s, 10 times	pass, the extension element did not detach
6.3 Functional tests – the second set			
6.3.4	Operating forces	force < 50 N	pass, the extension element fulfils its function
6.3.5	1 vertical downwards static load test	vertical force 125 N, 10 times	pass, the extension element fulfils its function
6.3.6	1 horizontal sideways static load	horizontal force 65 N, 5 times	pass, the extension element fulfils its function
6.3.8	Durability	60 000 cycles	pass, the extension element fulfils its function
6.3.9	Deflection of front	4,8 mm	pass, < 4 %
6.3.10	2 vertical downwards static load	vertical force 125 N, 10 times	pass, the extension element fulfils its function
6.3.11	2 horizontal sideways static load	horizontal force 65 N, 5 times	pass, the extension element fulfils its function
6.3.12	Operating forces	force < 50 N	pass, the extension element fulfils its function
6.3.13	Slam–shut/open	0,8 m/s, 10 times	pass, the extension element fulfils its function

Maximal loading capacity drawers of the Metalbox system GTV and GTV PRESTIGE  
M = 25 kg.

INŻYNIERSKI OŚRODEK  
KSZTAŁTOWANIA JAKOŚCI WYROBÓW  
**„ATEST”** Spółka z o.o.  
60-214 Poznań, ul. Bogusławskiego 16  
tel./fax (061) 865-26-89  
NIP 779-206-14-74, Regon 630681995

PREZES  
*Jan*  
mgr inż. Lucjan Kokorniak